

## TIECO Chrome Exhaust Stacks

- Straight
- Curved
- Mitre

Tieco Stacks are produced to exceed the Australian Standard for Chrome Plating.

First layers of Nickel for improved adhesion and corrosion resistance are added, followed by a controlled layer of chrome.

All stack length measurements are taken from top to bottom.



| Outside Diameter | Overall Length | End Style |       | Outlet Style |            |            |
|------------------|----------------|-----------|-------|--------------|------------|------------|
|                  |                | Expanded  | Plain | Deflector    | Straight   | 45° Mitre  |
| 2.5"             | 24"            | X         |       | CS2524ENCP   | SS2524ENCP | MS2524ENCP |
|                  | 24"            |           | X     | CS2524PECP   | SS2524PECP | MS2524PECP |
| 36"              | 36"            | X         |       | CS2536ENCP   | SS2536ENCP | MS2536ENCP |
|                  | 36"            |           | X     | CS2536PECP   | SS2536PECP | MS2536PECP |
| 48"              | 48"            | X         |       | CS2548ENCP   | SS2548ENCP | MS2548ENCP |
|                  | 48"            |           | X     | CS2548PECP   | SS2548PECP | MS2548PECP |
| 60"              | 60"            | X         |       | CS2560ENCP   | SS2560ENCP | MS2560ENCP |
|                  | 60"            |           | X     | CS2560PECP   | SS2560PECP | MS2560PECP |
| 72"              | 72"            | X         |       | CS2572ENCP   | SS2572ENCP | MS2572ENCP |
|                  | 72"            |           | X     | CS2572PECP   | SS2572PECP | MS2572PECP |

| Outside Diameter | Overall Length | End Style |       | Outlet Style |           |           |
|------------------|----------------|-----------|-------|--------------|-----------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight  | 45° Mitre |
| 3"               | 24"            | X         |       | CS324ENCP    | SS324ENCP | MS324ENCP |
|                  | 24"            |           | X     | CS324PECP    | SS324PECP | MS324PECP |
| 36"              | 36"            | X         |       | CS336ENCP    | SS336ENCP | MS336ENCP |
|                  | 36"            |           | X     | CS336PECP    | SS336PECP | MS336PECP |
| 48"              | 48"            | X         |       | CS348ENCP    | SS348ENCP | MS348ENCP |
|                  | 48"            |           | X     | CS348PECP    | SS348PECP | MS348PECP |
| 60"              | 60"            | X         |       | CS360ENCP    | SS360ENCP | MS360ENCP |
|                  | 60"            |           | X     | CS360PECP    | SS360PECP | MS360PECP |
| 72"              | 72"            | X         |       | CS372ENCP    | SS372ENCP | MS372ENCP |
|                  | 72"            |           | X     | CS372PECP    | SS372PECP | MS372PECP |



| Outside Diameter | Overall Length | End Style |       | Outlet Style |           |           |
|------------------|----------------|-----------|-------|--------------|-----------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight  | 45° Mitre |
| 4"               | 24"            | X         |       | CS424ENCP    | SS424ENCP | MS424ENCP |
|                  | 24"            |           | X     | CS424PECP    | SS424PECP | MS424PECP |
| 36"              | 36"            | X         |       | CS436ENCP    | SS436ENCP | MS436ENCP |
|                  | 36"            |           | X     | CS436PECP    | SS436PECP | MS436PECP |
| 48"              | 48"            | X         |       | CS448ENCP    | SS448ENCP | MS448ENCP |
|                  | 48"            |           | X     | CS448PECP    | SS448PECP | MS448PECP |
| 60"              | 60"            | X         |       | CS460ENCP    | SS460ENCP | MS460ENCP |
|                  | 60"            |           | X     | CS460PECP    | SS460PECP | MS460PECP |
| 72"              | 72"            | X         |       | CS472ENCP    | SS472ENCP | MS472ENCP |
|                  | 72"            |           | X     | CS472PECP    | SS472PECP | MS472PECP |

| Outside Diameter | Overall Length | End Style |       | Outlet Style |           |           |
|------------------|----------------|-----------|-------|--------------|-----------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight  | 45° Mitre |
| 5"               | 24"            | X         |       | CS524ENCP    | SS524ENCP | MS524ENCP |
|                  | 24"            |           | X     | CS524PECP    | SS524PECP | MS524PECP |
| 36"              | 36"            | X         |       | CS536ENCP    | SS536ENCP | MS536ENCP |
|                  | 36"            |           | X     | CS536PECP    | SS536PECP | MS536PECP |
| 48"              | 48"            | X         |       | CS548ENCP    | SS548ENCP | MS548ENCP |
|                  | 48"            |           | X     | CS548PECP    | SS548PECP | MS548PECP |
| 60"              | 60"            | X         |       | CS560ENCP    | SS560ENCP | MS560ENCP |
|                  | 60"            |           | X     | CS560PECP    | SS560PECP | MS560PECP |
| 72"              | 72"            | X         |       | CS572ENCP    | SS572ENCP | MS572ENCP |
|                  | 72"            |           | X     | CS572PECP    | SS572PECP | MS572PECP |

| Outside Diameter | Overall Length | End Style |       | Outlet Style |           |           |
|------------------|----------------|-----------|-------|--------------|-----------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight  | 45° Mitre |
| 6"               | 24"            | X         |       | CS624ENCP    | SS624ENCP | MS624ENCP |
|                  | 24"            |           | X     | CS624PECP    | SS624PECP | MS624PECP |
| 36"              | 36"            | X         |       | CS636ENCP    | SS636ENCP | MS636ENCP |
|                  | 36"            |           | X     | CS636PECP    | SS636PECP | MS636PECP |
| 48"              | 48"            | X         |       | CS648ENCP    | SS648ENCP | MS648ENCP |
|                  | 48"            |           | X     | CS648PECP    | SS648PECP | MS648PECP |
| 60"              | 60"            | X         |       | CS660ENCP    | SS660ENCP | MS660ENCP |
|                  | 60"            |           | X     | CS660PECP    | SS660PECP | MS660PECP |
| 72"              | 72"            | X         |       | CS672ENCP    | SS672ENCP | MS672ENCP |
|                  | 72"            |           | X     | CS672PECP    | SS672PECP | MS672PECP |

## Warranty & Product Care

Our FULL range of Chrome Exhaust Stacks are warrantied for 12 months.

Warranty coverage begins on the date the product is purchased by the user.

Tieco recommends that Chrome Exhaust Stacks should be cleaned and polished regualy so as to maintain their appearance.

| Outside Diameter | Overall Length | End Style |       | Outlet Style |           |           |
|------------------|----------------|-----------|-------|--------------|-----------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight  | 45° Mitre |
| 7"               | 24"            | X         |       | CS724ENCP    | SS724ENCP | MS724ENCP |
|                  | 24"            |           | X     | CS724PECP    | SS724PECP | MS724PECP |
| 36"              | 36"            | X         |       | CS736ENCP    | SS736ENCP | MS736ENCP |
|                  | 36"            |           | X     | CS736PECP    | SS736PECP | MS736PECP |
| 48"              | 48"            | X         |       | CS748ENCP    | SS748ENCP | MS748ENCP |
|                  | 48"            |           | X     | CS748PECP    | SS748PECP | MS748PECP |
| 60"              | 60"            | X         |       | CS760ENCP    | SS760ENCP | MS760ENCP |
|                  | 60"            |           | X     | CS760PECP    | SS760PECP | MS760PECP |
| 72"              | 72"            | X         |       | CS772ENCP    | SS772ENCP | MS772ENCP |
|                  | 72"            |           | X     | CS772PECP    | SS772PECP | MS772PECP |

| Outside Diameter | Overall Length | End Style |       | Outlet Style |           |           |
|------------------|----------------|-----------|-------|--------------|-----------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight  | 45° Mitre |
| 8"               | 24"            |           | X     |              | SS824PECP | MS824PECP |
|                  | 36"            |           | X     |              | SS836PECP | MS836PECP |
|                  | 48"            |           | X     |              | SS848PECP | MS848PECP |
|                  | 60"            |           | X     |              | SS860PECP | MS860PECP |
|                  | 72"            |           | X     |              | SS872PECP | MS872PECP |

## TIECO Custom Chrome Exhaust Stacks

At Tieco we offer a "Custom Stack" Service.

Should you have a requirement for something a little different then please visit : [www.tieco.com.au](http://www.tieco.com.au) and download one of our Stack Markup charts.

Once completed, just email or fax the document to our sales team for price & availability.

**email: [sales@tieco.com.au](mailto:sales@tieco.com.au)**

**fax: 03 9763 2577**

## What do Tieco Stack Numbers mean:

The following legend is used to determine the part number of all chrome stacks:

KEY: MS - .....MITRE CUT STACK                      EN - .....EXPANDED / NOTCHED  
CS - .....CURVED STACK                                PE - .....PLAIN ENDED  
SS - .....STRAIGHT STACK                              CP - .....CHROME PLATED  
AL - .....ALUMINISED STEEL

EXAMPLE NUMBER    **CS**    **5**    **60**    **PE**                      **CP**  
                                 Curved Stack    5"    60"    Plain End    Chrome Plated



**TIECO SALES DIRECT LINE : 03 97 57 4949**

# TIECO Chrome Reducing Exhaust Stacks



| Outside Diameter | Overall Length | Reducing End | Outlet Style |             |             |
|------------------|----------------|--------------|--------------|-------------|-------------|
|                  |                |              | Deflector    | Straight    | 45° Mitre   |
| 5"               | 24"            | 4"           | CS524>4PECP  | SS524>4PECP | MS548>4PECP |
|                  | 36"            | 4"           | CS536>4PECP  | SS536>4PECP | MS536>4PECP |
|                  | 48"            | 4"           | CS548>4PECP  | SS548>4PECP | MS548>4PECP |
|                  | 60"            | 4"           | CS560>4PECP  | SS560>4PECP | MS560>4PECP |
|                  | 72"            | 4"           | CS572>4PECP  | SS572>4PECP | MS572>4PECP |

| Outside Diameter | Overall Length | Reducing End | Outlet Style |             |             |
|------------------|----------------|--------------|--------------|-------------|-------------|
|                  |                |              | Deflector    | Straight    | 45° Mitre   |
| 6"               | 24"            | 5"           | CS624>5PECP  | SS624>5PECP | MS624>5PECP |
|                  | 36"            | 5"           | CS636>5PECP  | SS636>5PECP | MS636>5PECP |
|                  | 48"            | 5"           | CS648>5PECP  | SS648>5PECP | MS648>5PECP |
|                  | 60"            | 5"           | CS660>5PECP  | SS660>5PECP | MS660>5PECP |
|                  | 72"            | 5"           | CS672>5PECP  | SS672>5PECP | MS672>5PECP |

| Outside Diameter | Overall Length | Reducing End | Outlet Style |             |             |
|------------------|----------------|--------------|--------------|-------------|-------------|
|                  |                |              | Deflector    | Straight    | 45° Mitre   |
| 7"               | 24"            | 5"           | CS724>5PECP  | SS724>5PECP | MS724>5PECP |
|                  | 36"            | 5"           | CS736>5PECP  | SS736>5PECP | MS736>5PECP |
|                  | 48"            | 5"           | CS748>5PECP  | SS748>5PECP | MS748>5PECP |
|                  | 60"            | 5"           | CS760>5PECP  | SS760>5PECP | MS760>5PECP |
|                  | 72"            | 5"           | CS772>5PECP  | SS772>5PECP | MS772>5PECP |

| Outside Diameter | Overall Length | Reducing End | Outlet Style |             |             |
|------------------|----------------|--------------|--------------|-------------|-------------|
|                  |                |              | Deflector    | Straight    | 45° Mitre   |
| 8"               | 24"            | 5"           |              | SS824>5PECP | MS824>5PECP |
|                  | 36"            | 5"           |              | SS836>5PECP | MS836>5PECP |
|                  | 48"            | 5"           |              | SS848>5PECP | MS848>5PECP |
|                  | 60"            | 5"           |              | SS860>5PECP | MS860>5PECP |
|                  | 72"            | 5"           |              | SS872>5PECP | MS872>5PECP |

## Warranty & Product Care

Our FULL range of Chrome Exhaust Stacks are warrantied for 12 months.

Warranty coverage begins on the date the product is purchased by the user.

Tieco recommends that Chrome Exhaust Stacks should be cleaned and polished regualy so as to maintain their appearance.

# TIECO Chrome “VALUE” Exhaust Stacks

- Straight
- Curved
- Mitre

Tieco “Value” Stacks offer great saving to both you and your customers.

Produced to our specifications overseas.

All stack length measurements are taken from top to bottom.



| Outside Diameter | Overall Length | End Style |       | Outlet Style |            |           |
|------------------|----------------|-----------|-------|--------------|------------|-----------|
|                  |                | Expanded  | Plain | Deflector    | Straight   | 45° Mitre |
| 4"               | 24"            | X         |       | VCS424ENCP   |            |           |
|                  | 36"            | X         |       | VSS436ENCP   |            |           |
|                  | 36"            |           | X     | VCS436PECP   | VSS436PECP |           |
|                  | 48"            |           | X     | VSS448PECP   |            |           |
|                  | 72"            |           | X     | VSS472PECP   |            |           |
| 5"               | 24"            | X         |       | VCS524ENCP   |            |           |
|                  | 24"            |           | X     | VCS524PECP   |            |           |
|                  | 36"            | X         |       | VCS536ENCP   |            |           |
|                  | 36"            |           | X     | VCS536PECP   | VSS536PECP |           |
|                  | 48"            | X         |       | VCS548ENCP   | VSS548ENCP |           |
|                  | 48"            |           | X     | VCS548PECP   | VSS548PECP |           |
|                  | 60"            |           | X     | VCS560PECP   | VSS560PECP |           |
|                  | 72"            | X         |       | VCS572ENCP   |            |           |
|                  | 72"            |           | X     | VCS572PECP   | VSS572PECP |           |
| 6"               | 36"            | X         |       | VSS636ENCP   |            |           |
|                  | 36"            |           | X     | VSS636PECP   |            |           |
|                  | 48"            | X         |       |              |            |           |
|                  | 48"            |           | X     | VCS648PECP   | VSS648PECP |           |
| 7"               | 72"            | X         |       | VSS772ENCP   |            | MS772ENCP |
|                  | 72"            |           | X     | VCS772PECP   | VSS772PECP | MS772PECP |

## TIECO Chrome **“VALUE”** Reducing Exhaust Stacks

| Outside Diameter | Overall Length | Reducing End | Outlet Style |              |              |
|------------------|----------------|--------------|--------------|--------------|--------------|
|                  |                |              | Deflector    | Straight     | 45° Mitre    |
| 6"               | 24"            | 4"           |              |              | VMS648>4PECP |
|                  | 24"            | 5"           | VCS624>5PECP |              |              |
|                  | 36"            | 5"           | VCS636>5PECP | VSS636>5PECP |              |
|                  | 48"            | 4"           | VCS648>4PECP |              |              |
|                  | 48"            | 5"           | VCS648>5PECP | VSS648>5PECP | VMS648>5PECP |
|                  | 60"            | 5"           | VCS660>5PECP |              | VMS660>5PECP |
|                  | 72"            | 5"           | VCS672>5PECP |              |              |
|                  | 7"             | 24"          | 5"           | VCS724>5PECP |              |
| 36"              |                | 5"           | VCS736>5PECP |              | VMS736>5PECP |
| 48"              |                | 5"           | VCS748>5PECP | VSS748>5PECP | VMS748>5PECP |
| 48"              |                | 6"           | VCS748>6PECP |              |              |
| 60"              |                | 5"           | VCS760>5PECP |              | VMS760>5PECP |
| 60"              |                | 6"           | VCS760>6PECP |              |              |
| 72"              |                | 5"           | VCS772>5PECP | VSS772>5PECP | VMS772>5PECP |

## TIECO Custom Chrome Exhaust Stacks

At Tieco we offer a “Custom Stack” Service.

Should you have a requirement for something a little different then please visit : [www.tieco.com.au/downloads](http://www.tieco.com.au/downloads) and download one of our Stack Markup charts.

Once completed, just email or fax the document to our sales team for a P&A.

email: [sales@tieco.com.au](mailto:sales@tieco.com.au)

fax: 03 9763 2577